



T501		T401	
140Kg	Max user weight	130Kg	
0.8 - 18KPH	Speed range	1-16KPH	
DC motor, 3.25 HP	Motor	DC motor, 3.0HP	
0~12%	Incline range	0~12%	
Positive HTN type	Display type	Positive HTN type	
Orange	LCD Backlight	Orange	
130*85(mm*mm)	Display size	130*85(mm*mm)	
"8(com)*32(seg)	Maximum Dots	"8(com)*32(seg)	
max. 256 Dots		max. 256 Dots	
Yes	Wireless pulse	Yes	
Yes	Contact HR	No	
20	Button number	14	
Membrane	Button type	Membrane	
3	Direct speed	3	
3	Direct elevation	3	
6	Quick program	0	
4	Elevation program	4	
4	Speed program	4	
4	Elevation & Speed programs	4	
2	Target based program	2	
12	HRC program	12	
4	Custom program	4	
4	Race program	4	
1	Fitness test program	1	
Yes	CE(EMC, Safety)	Yes	
Yes	Smart logic technology	Yes	
97x40mm oval tube	Upright post size	97x40mm oval tube	
500x1400mm	Running surface size	500x1400mm	
2.5 T	Running belt	1.6T	
Black	Running belt color	Black	
67mm	Roller size	67mm	
Yes	Crown roller	Yes	
Rubber shock absorber	Cushion type	Rubber shock absorber	
Yes	4 moving wheels	Yes	
Yes	Book rack	Yes	
30 / 66 / 76 sets with pallets	Container qty 20' / 40' / HQ	30 / 66 / 76 sets with pallets	

**HEALTHSTREAM**  
 Healthstream Taiwan Inc.  
 16-3, Zichiang First Road  
 Zhongli, Taoyuan 320 Taiwan  
 T +886.3.433.6269  
 F +886.3.433.6259

Design by Deep White



All New Smart T401 & 501 with "SLT"  
Smart Logic Technology



Color coded integrated contour hand pulse design



Padded child proof lock release system



Quick program button large LCD console design



Comfortable wider running belt

Low step deck





T501		T401
140Kg	Max user weight	130Kg
0.8 - 18KPH	Speed range	1-16KPH
DC motor, 3.25 HP	Motor	DC motor, 3.0HP
0-1.2%	Incline range	0-1.2%
Positive HTN type	Display type	Positive HTN type
Orange	LCD Backlight	Orange
130*85(mm*mm)	Display size	130*85(mm*mm)
"8(com)*32(seg) max. 256 Dots"	Maximum Dots	"8(com)*32(seg) max. 256 Dots"
Yes	Wireless pulse	Yes
Yes	Contact HR	No
20	Button number	14
Membrane	Button type	Membrane
3	Direct speed	3
3	Direct elevation	3
6	Quick program	0
4	Elevation program	4
4	Speed program	4
4	Elevation & Speed programs	4
2	Target based program	2
12	HRC program	12
4	Custom program	4
4	Race program	4
1	Fitness test program	1
Yes	CE(EMC, Safety)	Yes
Yes	Smart logic technology	Yes
97x40mm oval tube	Upright post size	97x40mm oval tube
500x1400mm	Running surface size	500x1400mm
2.5 T	Running belt	1.6T
Black	Running belt color	Black
67mm	Roller size	67mm
Yes	Crown roller	Yes
Rubber shock absorber	Cushion type	Rubber shock absorber
Yes	4 moving wheels	Yes
Yes	Book rack	Yes
30 / 66 / 76 sets with pallets	Container qty 20' / 40' / HQ	30 / 66 / 76 sets with pallets

## HEALTHSTREAM

Healthstream Taiwan Inc.  
16-3, Zichiang First Road  
Jhongli, Taoyuan 320 Taiwan  
T +886.3.433.6269  
F +886.3.433.6259